



MANUFACTURER: KI
SERIES NAME: E-SERIES
MODEL #: EL/363D
***BASE BID UNIT PRICE: \$ 379.65**

TO ORDER CONTACT:
DEALER: KI
NAME: Sissie Clardy
PHONE: **310-387-1731**
EMAIL: sissie.clardy@ki.com

SIZE & COMPONENTS:

Measurements

Width: 36"

Depths:18"

Heights: 3 drawers – 38 ¼"

E- Series Lateral Files are designed to withstand the rigors of daily use. The product is fully accessorized. Locks are included in all cabinets. All files include fully recessed leveling glides for 1/8" allowance. Folder bars are included in all but the top opening of five drawer lateral files. Lateral files include the interlock safety system, which permits only one drawer to be opened at a time, reducing the risk of a unit to tip over.

Shell Construction:

Lateral file top and bottom panels are 20- gauge cold rolled steel. Side panels and back are 22- gauge cold rolled steel. The files are formed to provide additional strength and a rigid framing. The glides are hex shaped at the base for adjustment and can be adjusted from the inside by using ¼" nut runner or socket wrench.

Drawers and Suspensions:

Lateral file drawer fronts are 22- gauge steel with full width flush inset pull. Drawer body are 20- gauge steel construction. Three piece suspension assembly allows the back of the drawer to extend clear of the front face of the cabinet. The suspension has an "anti- rebound" or retaining device to hold the drawer in a closed position.



Locks:

Locks are standard on all lateral files. Locks have a black finish and can be keyed differently. There are 250 plus different key combinations possible. Locks are also available keyed alike. Locks can also be master keyed.

FRAME & DRAWER FINISH OPTIONS:



*Additional finishes available see contact for details.



MANUFACTURER: KI
SERIES NAME: E-SERIES
MODEL #: EL/364D
***BASE BID UNIT PRICE: \$460.20**

TO ORDER CONTACT:
DEALER: KI
NAME: Sissie Clardy
PHONE: **310-387-1731**
EMAIL: sissie.clardy@ki.com

SIZE & COMPONENTS:

Width: 36"

Depths: 18"

Heights: 4 drawers – 49 3/8"

E- Series Lateral Files are designed to withstand the rigors of daily use. The product is fully accessorized. Locks are included in all cabinets. All files include fully recessed leveling glides for 1/8" allowance. Folder bars are included in all but the top opening of five drawer lateral files. Lateral files include the interlock safety system, which permits only one drawer to be opened at a time, reducing the risk of a unit to tip over.

Shell Construction:

Lateral file top and bottom panels are 20- gauge cold rolled steel. Side panels and back are 22- gauge cold rolled steel. The files are formed to provide additional strength and a rigid framing. The glides are hex shaped at the base for adjustment and can be adjusted from the inside by using 1/4" nut runner or socket wrench.

Drawers and Suspensions:

Lateral file drawer fronts are 22- gauge steel with full width flush inset pull. Drawer body are 20- gauge steel construction. Three piece suspension assembly allows the back of the drawer to extend clear of the front face of the cabinet. The suspension has an "anti- rebound" or retaining device to hold the drawer in a closed position.

Locks:

Locks are standard on all lateral files. Locks have a black finish and can be keyed differently. There are 250 plus different key combinations possible. Locks are also available keyed alike. Locks can also be master keyed.



FRAME & DRAWER FINISH OPTIONS:



Light
Tone



Cottonwood



Whisper



Creamy White



Lemon Cream



Sand



Chamomile



Moss



Café Au
Lait



Marine
Teal



Splash



Nordic



Abracadabra



Sunburst



Tangelo



Cayenne



Bordeaux



Dolphin



Thermal



Warm Grey



Blue Grey



Flannel



Black



Moonbeam



Starlight



Silver



Old Gold
Metallic



Malachite
Metallic



Espresso
Metallic



Bronze
Metallic

*Additional finishes available see contact for details.



MANUFACTURER: KI
SERIES NAME: E-SERIES
MODEL #: EL/365D
***BASE BID UNIT PRICE: \$542.43**

TO ORDER CONTACT:
DEALER: KI
NAME: Sissie Clardy
PHONE: **310-387-1731**
EMAIL: sissie.clardy@ki.com

SIZE & COMPONENTS:

Measurements

Width: 36"

Depths:18"

Heights:5 drawers – 64 1/8"

E- Series Lateral Files are designed to withstand the rigors of daily use. The product is fully accessorized. Locks are included in all cabinets. All files include fully recessed leveling glides for 1/8" allowance. Folder bars are included in all but the top opening of five drawer lateral files. Lateral files include the interlock safety system, which permits only one drawer to be opened at a time, reducing the risk of a unit to tip over.

Shell Construction:

Lateral file top and bottom panels are 20- gauge cold rolled steel. Side panels and back are 22- gauge cold rolled steel. The files are formed to provide additional strength and a rigid framing. The glides are hex shaped at the base for adjustment and can be adjusted from the inside by using 1/4" nut runner or socket wrench.

Drawers and Suspensions:

Lateral file drawer fronts are 22- gauge steel with full width flush inset pull. Drawer body are 20- gauge steel construction. Three piece suspension assembly allows the back of the drawer to extend clear of the front face of the cabinet. The suspension has an "anti- rebound" or retaining device to hold the drawer in a closed position.



Locks:

Locks are standard on all lateral files. Locks have a black finish and can be keyed differently. There are 250 plus different key combinations possible. Locks are also available keyed alike. Locks can also be master keyed.

FRAME & DRAWER FINISH OPTIONS:



*Additional finishes available see contact for details.



MANUFACTURER: KI
SERIES NAME: E-SERIES
MODEL #: EV153D
***BASE BID UNIT PRICE: \$318.72**

TO ORDER CONTACT:
DEALER: KI
NAME: Sissie Clardy
PHONE: **310-387-1731**
EMAIL: sissie.clardy@ki.com

SIZE & COMPONENTS:

Width: Letter – 15"

Depths: 27 5/8"

Heights: 3 drawers – 38 1/4"

E- Series Vertical Files are designed to withstand the rigors of daily use. The product is fully accessorized. Locks are included in all cabinets. All files include fully recessed leveling glides for 1/8" allowance. Folder bars are included in all vertical files. Vertical files include the interlock safety system, which permits only one drawer to be opened at a time, reducing the risk of a unit to tip over.

Shell Construction:

Vertical file top and bottom panels are 20- gauge cold rolled steel. Side panels and back are 22- gauge cold rolled steel. The files are formed to provide additional strength and a rigid framing. The glides are hex shaped at the base for adjustment and can be adjusted from the inside by using 1/4" nut runner or socket wrench.

Drawers and Suspensions:

Vertical file drawer fronts are 22- gauge steel with full width flush inset pull. Drawer body are 20- gauge steel construction. Three piece suspension assembly allows the back of the drawer to extend clear of the front face of the cabinet. The suspension has an "anti-rebound" or retaining device to hold the drawer in a closed position.



Locks

Locks are standard on all vertical files. Locks have a black finish and have the option of being keyed differently. There are 250 plus different key combinations possible. Locks are also available keyed alike. Locks can also be master keyed.

FRAME & DRAWER FINISH OPTIONS:

See 3 Drawer Lateral File

*Additional finishes available see contact for details.



MANUFACTURER: KI
SERIES NAME: E-SERIES
MODEL #: EV154D
***BASE BID UNIT PRICE: \$386.12**

TO ORDER CONTACT:
DEALER: KI
NAME: Sissie Clardy
PHONE: **310-387-1731**
EMAIL: sissie.clardy@ki.com

SIZE & COMPONENTS:

Width: Letter – 15"

Depths: 27 5/8"

Heights: 4 drawers – 49 3/8"

E- Series Vertical Files are designed to withstand the rigors of daily use. The product is fully accessorized. Locks are included in all cabinets. All files include fully recessed leveling glides for 1/8" allowance. Folder bars are included in all vertical files. Vertical files include the interlock safety system, which permits only one drawer to be opened at a time, reducing the risk of a unit to tip over.

Shell Construction:

Vertical file top and bottom panels are 20- gauge cold rolled steel. Side panels and back are 22- gauge cold rolled steel. The files are formed to provide additional strength and a rigid framing. The glides are hex shaped at the base for adjustment and can be adjusted from the inside by using 1/4" nut runner or socket wrench.

Drawers and Suspensions:

Vertical file drawer fronts are 22- gauge steel with full width flush inset pull. Drawer body are 20- gauge steel construction. Three piece suspension assembly allows the back of the drawer to extend clear of the front face of the cabinet. The suspension has an "anti-rebound" or retaining device to hold the drawer in a closed position.



Los Angeles
Community
College District

METAL FILING SYSTEMS | 4 DRAWER VERTICAL

Locks:

Locks are standard on all vertical files. Locks have a black finish and have the option of being keyed differently. There are 250 plus different key combinations possible. Locks are also available keyed alike. Locks can also be master keyed.

FRAME & DRAWER FINISH OPTIONS:

See 3 Drawer Lateral File

*Additional finishes available see contact for details.



MANUFACTURER: KI
SERIES NAME: E-ERIES
MODEL #: EV155D
***BASE BID UNIT PRICE: \$456.80**

TO ORDER CONTACT:
DEALER: KI
NAME: Sissie Clardy
PHONE: **310-387-1731**
EMAIL: sissie.clardy@ki.com

SIZE & COMPONENTS:

Width: Letter – 15”

Depths: 27 5/8”

Heights: 5 drawers – 61 5/8”

E- Series Vertical Files are designed to withstand the rigors of daily use. The product is fully accessorized. Locks are included in all cabinets. All files include fully recessed leveling glides for 1/8” allowance. Folder bars are included in all vertical files. Vertical files include the interlock safety system, which permits only one drawer to be opened at a time, reducing the risk of a unit to tip over.

Shell Construction:

Vertical file top and bottom panels are 20- gauge cold rolled steel. Side panels and back are 22- gauge cold rolled steel. The files are formed to provide additional strength and a rigid framing. The glides are hex shaped at the base for adjustment and can be adjusted from the inside by using 1/4” nut runner or socket wrench.

Drawers and Suspensions:

Vertical file drawer fronts are 22- gauge steel with full width flush inset pull. Drawer body are 20- gauge steel construction. Three piece suspension assembly allows the back of the drawer to extend clear of the front face of the cabinet. The suspension has an “anti-rebound” or retaining device to hold the drawer in a closed position.



Locks:

Locks are standard on all vertical files. Locks have a black finish and have the option of being keyed differently. There are 250 plus different key combinations possible. Locks are also available keyed alike. Locks can also be master keyed.

FRAME & DRAWER FINISH OPTIONS:
See 3 Drawer Lateral File

*Additional finishes available see contact for details.



MANUFACTURER: KI
SERIES NAME: 700 SERIES HIGH DENSITY
MODEL #: KPSR.M5210902
***BASE BID UNIT PRICE: \$759.97**

TO ORDER CONTACT:
DEALER: KI
NAME: Sissie Clardy
PHONE: **310-387-1731**
EMAIL: sissie.clardy@ki.com

SIZE & COMPONENTS:

Width: 36"

Depths: 24

Heights: 51 ½" 4 Drawer

***All heights include 1/8" allowance for adjustable glides.**

Full depth drawers with FBA bars. If front to back filing is desired - please order FBK bars 2.KPA3966 (part number is for one only)

SHELL CONSTRUCTION: The vertical file is constructed of components consisting of top, bottom, sides, back and uprights, spot welded together.

TOP: 20-gauge cold rolled steel with 1 ¼" flanges on 2 sides and the back. The front face is 1 ½" thick with 2 ½" horizontal beveled edges. A flange is formed inward providing additional strength.

SIDE PANELS: Are 22-gauge cold rolled steel, channel formed along the front edge and offset formed to accept the side flange of the back. The lower end of the side is formed inward to provide a rigid corner.

BACK: 22-gauge cold rolled steel and is formed on all four sides. The side flanges located in the offsets of the sides to provide a flush surface.



BOTTOM: 20-gauge cold rolled steel flanged upward along the two sides and back. The front face is 3 ¼" high and channel formed along the top edge providing strength and corner gusseting when welded to the sides. Two pockets are integrally formed into the bottom in each of the corners in which threaded weld nuts are welded to accept adjustable leveling glides. The glides are hex shaped at the base for adjustment and can be adjusted from the inside by using a ¼" nut runner or socket wrench.

DRAWER FRONTS: Are fabricated from 22-gauge cold rolled steel and formed to a thickness of ¾". The handle detail is full length integrally formed into the front. The front and drawer body are interconnected and screw mounted together.

DRAWER ENDS: The 22-gauge cold rolled steel drawer ends have multiple formations. The upper edges are formed to provide a smooth edge for suspending file folders and adding strength to the ends. A 22-gauge cold rolled steel body/back is welded to the ends along with two 20-gauge drawer runners which interface with the roller suspension.

DRAWER SUSPENSIONS: Each suspension assembly consists of three precision roll-formed sections with metal ball cages. Each suspension operates on 116 precision hardened steel ball bearings. Suspensions are clipped into cabinet and the drawer clips into suspensions, which are bright zinc plated.

LOCKS: Are standard on all vertical files. Locks have a black finish and are of a single bitted design, keyed differently. There are 250 plus different key combinations possible. The lock operates by turning the key which lifts the 16-gauge lock bars into a slot in the drawer end preventing the drawer from being opened.

INTERLOCK: All vertical files are equipped with a unique patented interlock safety system which permits only one drawer to be opened at a time. The system is designed to reduce the risk of a stand alone unit tipping over. To minimize possible damage to the interlock system activating cams restage automatically. If, during servicing or installing more than one opening is extended these openings can be closed without damage to any interlock components.

FRAME & DRAWER FINISH OPTIONS:

See 3 Drawer Lateral File

*Additional finishes available see contact for details.